



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

1 Identification

Product identifier

Trade name: Original ATE Cylinder Paste

Article number: 03.9902-05xx.x / 7000xx

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture technical preservative and anti-corrosion agent

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Continental Aftermarket GmbH

Guerickestr. 7

60488 Frankfurt a. M.

Germany

Tel: +49-69-76031

Fax: +49-69-761061

Information department:

Gefahrstoffmanagement Konzern, Zentrales Materiallabor

ate.sicherheit@contiautomotive.com

Emergency telephone number: +49-6132-84463

2 Hazard(s) identification

Classification of the substance or mixture

Harmful to aquatic life with long lasting effects.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms Void

Signal word Void

Hazard statements

Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



Health = 0

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)



HEALTH 0 Health = 0

FIRE 1 Fire = 1

REACTIVITY 0 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

Trade name: Original ATE Cylinder Paste

(Contd. of page 1)

Dangerous components:		
5892-47-7	2,4,6-Tri-sec-butylphenol ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Aquatic Acute 2, H401	<10%
15520-05-5	2,2'-(Octylimino)bisethanol ⚠ Acute Tox. 3, H301; ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	<5%

4 First-aid measures

Description of first aid measures

General information: Remove contaminated clothes and shoes immediately.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Call a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

May be released in case of fire: CO, CO₂, NO_x

Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

Trade name: Original ATE Cylinder Paste

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling Open and handle receptacle with care.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: This product is hygroscopic.

Storage class: 10 combustible liquids.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Exposure controls

Personal protective equipment:

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Penetration time of glove material

Butyl caoutchouc (butyl rubber): minimum breakthrough times 180 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough times 30 min; minimum layer thickness: 0.4 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Eye protection: Safety glasses

Limitation and supervision of exposure into the environment

See section 6 and 7. No additional measures necessary.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Pasty
Color:	Whitish
Odor:	Characteristic
Odour threshold:	Not determined.

(Contd. on page 4)

CA



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

Trade name: Original ATE Cylinder Paste

(Contd. of page 3)

pH-value at 20 °C:	8.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 300 °C (FMVSS 116)
Flash point:	> 145 °C (DIN EN 22719 / ISO 2719)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	> 300 °C (DIN 51794)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	< 0.1 hPa
Density at 20 °C:	1 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

Oral	LD50	7105 mg/kg (rat) ((OECD 401))
------	------	-------------------------------

Primary irritant effect:

on the skin: Slight irritant effect - does not require labeling.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

(Contd. on page 5)

CA



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

Trade name: Original ATE Cylinder Paste

(Contd. of page 4)

Additional toxicological information:**Carcinogenic categories****IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity**Aquatic toxicity:**

LL50 >100 mg/L (fish)

Persistence and degradability

This product is, corresponding to the desired stability, heavily biodegradable.

Behavior in environmental systems:**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Harmful to fish**Additional ecological information:****General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

13 Disposal considerations

Waste treatment methods

Waste disposal according EC-regulations 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

Recommendation:

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Uncleaned packagings:**Recommendation:**

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

UN-Number

DOT, TDG, ADN, IMDG, IATA

Void

UN proper shipping name

DOT, TDG, ADN, IMDG, IATA

Void

(Contd. on page 6)

CA



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

Trade name: Original ATE Cylinder Paste

(Contd. of page 5)

Transport hazard class(es)
**DOT, TDG, ADN, IMDG, IATA
Class**

Void

Packing group
DOT, TDG, IMDG, IATA

Void

Environmental hazards:**Marine pollutant:**

No

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of**MARPOL73/78 and the IBC Code**

Not applicable.

UN "Model Regulation":

UN-, -

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

5892-47-7 | 2,4,6-Tri-sec-butylphenol

15520-05-5 | 2,2'-(Octylimino)bisethanol

67701-06-8 | Fatty acids, C14-18 and C16-18-unsatd

8042-47-5 | White mineral oil (petroleum)

Proposition 65**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity categories**EPA (Environmental Protection Agency)**

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Canadian substance listings:**Canadian Domestic Substances List (DSL)**

5892-47-7 | 2,4,6-Tri-sec-butylphenol

(Contd. on page 7)



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Version 4

Reviewed on 05/30/2015

Trade name: Original ATE Cylinder Paste

(Contd. of page 6)

67701-06-8 Fatty acids, C14-18 and C16-18-unsatd

8042-47-5 White mineral oil (petroleum)

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Recommended restriction of use For industrial purposes only.

Date of preparation / last revision 06/04/2015 / 3

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - Acute Hazard, Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

* **Data compared to the previous version altered.**

CA